

Poultry Slaughter

Released March 8, 2004, by the National Agricultural Statistics Service (NASS), Agricultural Statistics Board, U.S. Department of Agriculture. For information on "*Poultry Slaughter*" call John Lange at 202-720-0585, office hours 7:00 a.m. to 4:30 p.m. ET.

Ready-to-Cook Weight Up 1 Percent

Poultry certified wholesome during January 2004 (ready-to-cook weight) totaled 3.33 billion pounds, up 1 percent from the amount certified in January 2003. Updated totals for December 2003 show that 3.25 billion pounds were certified.

The preliminary total live weight of poultry inspected during January 2004 was 4.49 billion pounds, up 1 percent from a year ago. Young chickens inspected totaled 3.85 billion pounds, up 2 percent from January 2003, mature chickens at 64.1 million pounds, were down 15 percent from the previous year. Turkey inspections totaled 555 million pounds, down 9 percent, and ducks totaled 14.6 million pounds, up 2 percent from last year.

Young chickens slaughtered during January 2004 averaged 5.31 pounds per bird, up 2 percent from January 2003. The average live weight of mature chickens was 5.66 pounds per bird, up 8 percent from a year ago. Turkeys slaughtered during January 2004 averaged 27.6 pounds per bird, down 2 percent from January 2003.

Ante-mortem condemnations during January 2004 totaled 20.1 million pounds. Condemnations were 0.45 percent of the live weight inspected, compared to 0.51 percent a year earlier. Post-mortem condemnations, at 45.4 million pounds (N.Y. dressed weight), were 1.12 percent of quantities inspected, compared with 1.28 percent a year earlier.


January 2004 contained 22 weekdays (including two holidays) and five Saturdays. January 2003 contained 23 weekdays (including two holidays) and four Saturdays.

Contents

Poultry Slaughter: Number, Live Weight, and Average Live Weight by Type, United States, January 2004 4
Poultry Slaughter: Chilled and Frozen, Pounds Certified by Type, United States, January 2004
Poultry Slaughter: Ante-Mortem Condemnations by Type, United States, January 2004
Poultry Slaughter: Post-Mortem Condemnations by Type, United States, January 2004
Young Chickens Slaughtered: Number, Live Weight, and Average Live Weight, by State and United States, January 2004
Young Chickens Slaughtered: Pounds Certified and Post-Mortem Condemnations, by State and United States, January 2004
Young Chickens Slaughtered: Number Condemned Post-Mortem by Cause, by Type, by State and United States, December 2003
Young Chickens Slaughtered: Number Condemned Post-Mortem by Cause, by Type, by State and United States, January 2004
Young Turkeys (Mature) Slaughtered: Number, Live Weight, and Average Live Weight, by State and United States, January 2004
Young Turkeys (Mature) Slaughtered: Pounds Certified and Post-Mortem Condemnations, by State and United States, January 2004
Young Turkeys Slaughtered: Number Condemned Post-Mortem by Cause, by Type, by State and United States, December 2003
Young Turkeys Slaughtered: Number Condemned Post-Mortem by Cause, by Type, by State and United States, January 2004
Reliability Statement
Definitions



Young Turkeys: Live Weight Slaughtered, by Month, 2001-2004



	Ian	Jan Dec			Percent of		
Commodity	2003	2003	Jan 2004	Jan 2003	Dec 2003		
	1,000 Head	1,000 Head	1,000 Head	Percent	Percent		
Number Slaughtered							
Chickens							
Young	725,178	715,407	726,279	100	102		
Mature	14,362	11,429	11,325	79	99		
Light	8,224	5,932	5,838	71	98		
Heavy	6,138	5,497	5,487	89	100		
Total	739,540	726,836	737,604	100	101		
Turkeys							
Young	21,342	20,596	19,946	93	97		
Old	319	155	207	65	134		
Total	21,661	20,751	20,153	93	97		
Ducks	2,134	2,212	2,153	101	97		
	1,000 pounds	1,000 pounds	1,000 pounds	Percent	Percent		
Live Weight							
Chickens							
Young	3,762,861	3,757,083	3,854,271	102	103		
Mature	75,245	63,523	64,110	85	101		
Light	28,000	19,782	20,188	72	102		
Heavy	47,245	43,741	43,922	93	100		
Total	3,838,106	3,820,606	3,918,381	102	103		
Turkeys							
Young	600,502	551,796	549,136	91	100		
Old	8,631	4,413	5,995	69	136		
Total	609,133	556,209	555,131	91	100		
Ducks	14,266	15,089	14,608	102	97		
Other Poultry	985	355	222	23	63		
Total Poultry	4,462,490	4,392,259	4,488,342	101	102		
	Pounds	Pounds	Pounds	Percent	Percent		
Average Live Weight							
Chickens							
Young	5.19	5.25	5.31	102	101		
Mature	5.24	5.56	5.66	108	102		
Light	3.40	3.33	3.46	102	104		
Heavy	7.70	7.96	8.00	104	101		
Total	5.19	5.26	5.31	102	101		
Turkeys				~~~			
Young	28.14	26.79	27.53	98 107	103		
Old	27.04	28.49	28.92	107	102		
Total	28.12	26.80	27.55	98	103		
Ducks	6.69	6.82	6.79	101	100		

Poultry Slaughter: Number, Live Weight, and Average Live Weight by Type, United States, January 2004¹

See footnote(s) at end of table.

--continued

Commodity		January to Date					
Commodity	2002	2002 2003		2002	2003		
	1,000 Head	1,000 Head	1,000 Head	Percent	Percent		
Number Slaughtered							
Chickens							
Young	737,844	725,178	726,279	98	100		
Mature	15,785	14,362	11,325	72	79		
Light	9,813	8,224	5,838	59	71		
Heavy	5,972	6,138	5,487	92	89		
Total	753,629	739,540	737,604	98	100		
Turkeys							
Young	21,518	21,342	19,946	93	93		
Old	230	319	207	90	65		
Total	21,748	21,661	20,153	93	93		
Ducks	2,096	2,134	2,153	103	101		
Ducks	1,000 pounds	1,000 pounds	1,000 pounds	Percent	Percent		
Live Weight							
Chickens							
Young	3,779,061	3,762,861	3,854,271	102	102		
Mature	80,020	75,245	64,110	80	85		
Light	33,560	28,000	20,188	60	72		
Heavy	46,460	47,245	43,922	95	93		
Total	3,859,081	3,838,106	3,918,381	102	102		
Turkeys							
Young	607,032	600,502	549,136	90	91		
Old	6,523	8,631	5,995	92	69		
Total	613,555	609,133	555,131	90	91		
Ducks	14,320	14,266	14,608	102	102		
Other Poultry	745	985	222	30	23		
Total Poultry	4,487,701	4,462,490	4,488,342	100	101		
	Pounds	Pounds	Pounds	Percent	Percent		
Average Live Weight							
Chickens							
Young	5.12	5.19	5.31	104	102		
Mature	5.07	5.24	5.66	112	108		
Light	3.42	3.40	3.46	101	102		
Heavy	7.78	7.70	8.00	103	104		
Total	5.12	5.19	5.31	104	102		
Turkeys							
Young	28.21	28.14	27.53	98	98		
Old	28.39	27.04	28.92	102	107		
Total	28.21	28.12	27.55	98	98		
Ducks	6.83	6.69	6.79	99	101		

Poultry Slaughter: Number, Live Weight, and Average Live Weight by Type, United States, January 2004¹ (continued)

¹ Federally inspected only.

	Jan	Dec	Jan	Percent of		
Commodity	2003	2003	2004	Jan 2003	Dec 2003	
	1,000 Pounds	1,000 Pounds	1,000 Pounds	Percent	Percent	
Chilled						
Chickens	2 505 005	2 400 4 64		100	1.04	
Young	2,505,935	2,490,164	2,567,985	102	10	
Mature	44,299	38,916	39,039	88	10	
Light	13,480	10,029	10,384	77	10	
Heavy Total	30,819 2,550,234	28,887 2,529,080	28,655 2,607,024	93 102	9 10	
	2,550,254	2,529,000	2,007,024	102	10.	
Turkeys	257 590	247 107	220 252	93	9	
Young Old	257,580	247,107	239,252	93 70	9 17:	
Total	5,499	2,209	3,823	70 92	17. 9'	
Total	263,079	249,316	243,075	92	9	
Ducks	3,693	7,391	7,132	193	90	
Other Poultry	250	182	129	52	7	
Total Poultry	2,817,256	2,785,969	2,857,360	101	103	
Frozen						
Chickens						
Young	268,662	273,414	269,606	100	9	
Mature	912	159	170	19	10	
Light	729	102				
Heavy	183	57	170	93	29	
Total	269,574	273,573	269,776	100	99	
Turkeys						
Young	215,986	188,954	196,235	91	104	
Old	775	1,095	721	93	60	
Total	216,761	190,049	196,956	91	104	
Ducks	6,668	4,393	4,282	64	9'	
Other Poultry	354	55	39	11	71	
Total Poultry	493,357	468,070	471,053	95	101	
Total Chilled and Frozen						
Chickens						
Young	2,774,597	2,763,578	2,837,591	102	103	
Mature	45,211	39,075	39,209	87	10	
Light	14,209	10,131	10,384	73	10	
Heavy	31,002	28,944	28,825	93	10	
Total	2,819,808	2,802,653	2,876,800	102	10	
Turkeys						
Young	473,566	436,061	435,487	92	10	
Old	6,274	3,304	4,544	72	13	
Total	479,840	439,365	440,031	92	10	
Ducks	10,361	11,784	11,414	110	9	
Other Poultry	604	237	168	28	7	
Total Poultry	3,310,613	3,254,039	3,328,413	101	102	
See footnote(s) at end of table					continu	

Poultry Slaughter: Chilled and Frozen, Pounds Certified by Type, United States, January 2004¹

See footnote(s) at end of table.

--continued

Commentation			Percent of		
Commodity	2002 2003		2004	2002	2003
	1,000 Pounds	1,000 Pounds	1,000 Pounds	Percent	Percent
Chilled					
Chickens					
Young	2,531,051	2,505,935	2,567,985	101	102
Mature	46,526	44,299	39,039	84	88
Light	16,469	13,480	10,384	63	77
Heavy	30,057	30,819	28,655	95	93
Total	2,577,577	2,550,234	2,607,024	101	102
Turkeys					
Young	234,858	257,580	239,252	102	93
Old	4,243	5,499	3,823	90	70
Total	239,101	263,079	243,075	102	92
Ducks	4,165	3,693	7,132	171	193
Other Poultry	189	250	129	68	52
Total Poultry	2,821,032	2,817,256	2,857,360	101	101
Frozen					
Chickens					
Young	248,861	268,662	269,606	108	100
Mature	1,451	912	170	12	19
Light	1,111	729			
Heavy	340	183	170	50	93
Total	250,312	269,574	269,776	108	100
Turkeys					
Young	243,039	215,986	196,235	81	91
Old	594	775	721	121	93
Total	243,633	216,761	196,956	81	91
Ducks	6,750	6,668	4,282	63	64
Other Poultry	261	354	39	15	11
Total Poultry	500,956	493,357	471,053	94	95
Total Chilled and Frozen					
Chickens					
Young	2,779,912	2,774,597	2,837,591	102	102
Mature	47,977	45,211	39,209	82	87
Light	17,580	14,209	10,384	59	73
Heavy	30,397	31,002	28,825	95	93
Total	2,827,889	2,819,808	2,876,800	102	102
Turkeys					
Young	477,897	473,566	435,487	91	92
Old	4,837	6,274	4,544	94	72
Total	482,734	479,840	440,031	91	92
Ducks	10,915	10,361	11,414	105	110
Other Poultry	450	604	168	37	28
Total Poultry	3,321,988	3,310,613	3,328,413	100	101

Poultry Slaughter: Chilled and Frozen, Pounds Certified by Type, United States, January 2004¹ (continued)

¹ Ready-to-cook weights.

		United	i States, Janu	ary 2004				
	Ian	Jan Dec		Jan Percent of			uary	Percent
Commodity	2003	2003	2004	Jan	Dec	to I	to Date	
	2003	2003	2004	2003	2003	2003	2004	2003
	1,000 Pounds	1,000 Pounds	1,000 Pounds	Percent	Percent	1,000 Pounds	1,000 Pounds	Percent
Live Weight								
Chickens								
Young	18,994	14,196	16,790	88	118	18,994	16,790	88
Mature	1,179	621	1,178	100	190	1,179	1,178	100
Light	685	263	458	67	174	685	458	67
Heavy	494	358	720	146	201	494	720	146
Total	20,173	14,817	17,968	89	121	20,173	17,968	89
Turkeys								
Young	2,163	1,742	2,085	96	120	2,163	2,085	96
Old	270	35	40	15	114	270	40	15
Total	2,433	1,777	2,125	87	120	2,433	2,125	87
Ducks	35	25	25	71	100	35	25	71
Other Poultry	4					4		
Total Poultry	22,645	16,619	20,118	89	121	22,645	20,118	89
	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
Percent of Total								
Weight Condemned ²								
Chickens								
Young	0.50	0.38	0.44	88	116	0.50	0.44	88
Mature	1.57	0.98	1.84	117	188	1.57	1.84	117
Light	2.45	1.33	2.27	93	171	2.45	2.27	93
Heavy	1.05	0.82	1.64	156	200	1.05	1.64	156
Total	0.53	0.39	0.46	87	118	0.53	0.46	87
Turkeys								
Young	0.36	0.32	0.38	106	119	0.36	0.38	106
Old	3.12	0.80	0.66	21	83	3.12	0.66	21
Total	0.40	0.32	0.38	95	119	0.40	0.38	95
Ducks	0.24	0.16	0.17	71	106	0.24	0.17	71
Other Poultry	0.38	0.10	0.07	18	70	0.38	0.07	18
Total Poultry	0.51	0.38	0.45	88	118	0.51	0.45	88

Poultry Slaughter: Ante-Mortem Condemnations by Type, United States, January 2004¹

Federally inspected only.
Pounds condemned as a percent of live weight pounds inspected.

		United	i States, Janu	ary 2004				
	Jan	Dec	Jan		ent of		uary	Percent
Commodity	2003	2003	2004	Jan 2003	Dec 2003	2003 to 1	Date 2004	of 2003
	1,000 Pounds	1,000 Pounds	1,000 Pounds	Percent	Percent	1,000 Pounds	1,000 Pounds	Percent
N.Y. Dressed Weight								
Chickens								
Young	35,001	31,295	32,253	92	103	35,001	32,253	92
Mature	4,591	2,975	3,056	67	103	4,591	3,056	67
Light	2,541	1,543	1,576	62	102	2,541	1,576	62
Heavy	2,050	1,432	1,480	72	103	2,050	1,480	72
Total	39,592	34,270	35,309	89	103	39,592	35,309	89
Turkeys								
Young	10,871	9,189	9,415	87	102	10,871	9,415	87
Old	579	201	342	59	170	579	342	59
Total	11,450	9,390	9,757	85	104	11,450	9,757	85
Ducks	284	348	350	123	101	284	350	123
Other Poultry	16	5	3	19	60	16	3	19
Total Poultry	51,342	44,013	45,419	88	103	51,342	45,419	88
	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
Percent of Total								
Weight Condemned ²								
Chickens								
Young	1.03	0.93	0.93	90	100	1.03	0.93	90
Mature	6.78	5.20	5.30	78	102	6.78	5.30	78
Light	10.08	8.67	8.67	86	100	10.08	8.67	86
Heavy	4.82	3.64	3.74	78	103	4.82	3.74	78
Total	1.15	1.00	1.00	87	100	1.15	1.00	87
Turkeys								
Young	2.01	1.85	1.91	95	103	2.01	1.91	95
Old	7.45	5.06	6.34	85	125	7.45	6.34	85
Total	2.09	1.88	1.95	93	104	2.09	1.95	93
Ducks	2.21	2.56	2.66	120	104	2.21	2.66	120
Other Poultry	1.76	1.64	1.51	86	92	1.76	1.51	86
Total Poultry	1.28	1.11	1.12	88	101	1.28	1.12	88

Poultry Slaughter: Post-Mortem Condemnations by Type, United States, January 2004¹

¹ Federally inspected only.
² Pounds condemned as a percent of N.Y. dressed weight of quantity inspected.

		by State and	United States, Janua	ry 2004		
State	Numb Slaught		Live We	eight	Average Live Weight	
	December	January	December	January	December	January
	1,000 Head	1,000 Head	1,000 Pounds	1,000 Pounds	Pounds	Pounds
AL	87,561	87,715	454,465	457,659	5.19	5.22
AR	95,809	103,424	482,376	527,714	5.03	5.10
CA	*	*	*	*	*	*
DE	23,721	24,080	153,653	156,553	6.48	6.50
FL	10,331	*	58,087	*	5.62	*
GA	103,141	104,155	520,151	531,300	5.04	5.10
KY	21,445	18,181	113,478	103,540	5.29	5.69
LA	16,057	12,678	80,837	67,643	5.03	5.34
MD	15,256	15,145	75,484	75,339	4.95	4.97
MS	63,040	63,819	339,449	352,694	5.38	5.53
MO	33,957	33,125	161,454	152,706	4.75	4.61
NJ	*	*	*	*	*	*
NY	*	*	*	*	*	*
NC	58,668	57,104	368,593	361,097	6.28	6.32
OH	3,697	3,493	19,975	18,511	5.40	5.30
PA	8,952	9,456	47,847	49,698	5.34	5.26
SC	19,342	19,216	113,287	113,209	5.86	5.89
TN	17,949	18,950	94,453	99,237	5.26	5.24
TX	53,207	54,036	263,410	268,811	4.95	4.97
VA	27,155	28,848	134,088	145,156	4.94	5.03
WA	*	*	*	*	*	*
Oth Sts	56,119	72,854	275,996	373,404	4.92	5.13
US	715,407	726,279	3,757,083	3,854,271	5.25	5.31

Young Chickens Slaughtered: Number, Live Weight, and Average Live Weight, by State and United States, January 2004

* Included in "Other States" to avoid disclosing individual operations.

Post-Mortem Condemnations Total Chilled and Frozen Pounds Certified 1 Percent² State N.Y. Dressed Weight December January December January December January 1,000 Pounds 1,000 Pounds 1,000 Pounds 1,000 Pounds Percent Percent AL 326,230 336,105 3,992 3,879 0.98 0.94 AR 350,794 374,802 3,728 4,164 0.86 0.88 CA DE 110,006 112,575 1,957 2,086 1.42 1.48 FL 41,806 668 1.28 * 379,229 0.97 GA 376,554 4,544 3,459 0.72 KΥ 83,833 75,145 693 710 0.68 0.76 59,422 52,595 306 287 0.42 0.47 LA MD 53,984 54,119 823 845 1.21 1.25 MS 253,177 261,392 2,300 2,444 0.75 0.77 112,705 MO 118,642 1,157 1,243 0.80 0.90 * * NJ * * * * * * * * * NY * NC 287,021 282,019 3,748 4,040 1.13 1.24 OH 14,448 13,578 246 229 1.37 1.38 709 PA 34,020 34,933 791 1.77 1.65 \mathbf{SC} 83,346 82,136 681 608 0.67 0.60 TN 68,690 72,206 771 874 0.91 0.98 219,474 ΤX 2,170 0.70 0.90 205,680 1,652 1,171 VA 91,057 104,862 1,203 0.97 0.92 WA * * * * * * Oth Sts 202,193 0.96 272,391 2,149 3,221 0.87

31,295

32,253

0.93

0.93

Young Chickens Slaughtered: Pounds Certified and Post-Mortem Condemnations by State and United States, January 2004

* Included in "Other States" to avoid disclosing individual operations.

2,763,578

¹ Ready-to-cook weights.

US

² Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected.

2,837,591

	by State and United States, December 2004										
State	Tuber- culosis	Leukosis	Septicemia	Airsac- culitis	Synovitis	Tumors					
	Number of Head	Number of Head	Number of Head	Number of Head	Number of Head	Number of Head					
Young Birds											
AL		*	120,316	52,759	1,412	*					
AR		1,133	168,766	94,133	3,325	2,344					
CA		*	75,098	5,303	789	739					
DE		3,262	104,241	44,792	*	*					
FL		*	*	*	*	*					
GA		516	82,090	48,539	471	3,876					
IN		*	6,566	*	*	*					
KY		*	34,092	*	49	*					
LA		*	14,023	5,316	*	140					
MD		*	50,197	22,175	*	3,904					
MS		227	61,918	32,672	345	549					
MO		1,530	70,490	22,205	*	*					
NJ		*	*	*	*	*					
NY		217	*	*	*	*					
NC		714	93,249	70,420	109	15,713					
OH		29	18,824	2,672	21	*					
PA		219	23,350	15,946	120	487					
SC		*	*	*	40	862					
TN		104	40,543	11,087	136	*					
TX		*	80,017	46,892	*	2,273					
VA		384	53,998	*	21	*					
WA		32	*	3,868	*	*					
Oth Sts		6,018	111,437	105,201	4,577	26,254					
US		14,385	1,209,215	583,980	11,415	57,141					
Mature Birds											
Light		2,523	206,573	12,828	133	89,079					
Heavy		699	61,940	4,759	376	10,052					
US		3,222	268,513	17,587	509	99,131					

Chickens Slaughtered: Number Condemned Post-Mortem by Cause, by Type, by State and United States, December 2004

See footnote(s) at end of table.

--continued

by State and United States, December 2004 (continued)										
	Bruises	Cadaver	Contam- ination	Overscald	Other	Total ¹				
	Number of Head	Number of Head	Number of Head	Number of Head	Number of Head	Number of Head				
Young Birds										
AL	3,634	21,519	21,377	8,064	102,268	336,264				
AR	6,574	19,094	26,261	3,044	41,678	366,352				
CA	*	5,830	*	*	14,573	109,454				
DE	2,004	17,905	9,926	2,311	23,771	213,754				
FL	*	3,865	*	*	12,754	61,568				
GA	3,213	35,976	11,399	4,323	71,725	262,128				
IN	83	*	*	*	*	*				
KY	201	8,697	3,651	960	4,286	72,998				
LA	450	3,654	*	*	*	28,650				
MD	*	18,392	*	1,198	16,322	140,061				
MS	2,706	17,742	11,048	406	46,036	173,649				
MO	1,277	*	9,633	534	23,496	148,946				
NJ	*	*	*	*	*	*				
NY	*	*	3,094	338	*	*				
NC	3,568	32,626	16,753	5,537	111,271	349,960				
OH	*	577	*	*	*	31,550				
PA	1,377	4,855	3,576	936	14,303	65,169				
SC	337	4,027	*	*	*	*				
TN	951	11,958	3,986	*	13,051	84,857				
TX	1,107	7,296	7,776	1,885	11,213	159,604				
VA	1,476	10,928	*	*	16,009	134,955				
WA	*	*	*	*	*	*				
Oth Sts	8,332	23,494	67,990	12,883	72,110	255,697				
US	37,290	248,435	196,470	42,419	594,866	2,995,616				
Mature Birds										
Light	6,664	10,205	121,023	1,566	78,424	529,018				
Heavy	1,749	10,027	21,250	2,527	59,282	172,661				
US	8,413	20,232	142,273	4,093	137,706	701,679				

Chickens Slaughtered: Number Condemned Post-Mortem by Cause, by Type, by State and United States, December 2004 (continued)

* Included in "Other States" to avoid disclosing individual operations.
¹ The sum of the individual diseases does not add across to the total for "Other States".

		by State and	United States, Jar	luary 2004		
State	Tuber- culosis	Leukosis	Septicemia	Airsac- culitis	Synovitis	Tumors
	Number of Head	Number of Head	Number of Head	Number of Head	Number of Head	Number of Head
Young Birds						
AL		*	119,993	50,977	793	*
AR		1,440	196,727	120,744	3,889	2,957
CA		*	*	7,116	572	994
DE		*	116,968	53,501	*	\$
FL		76	*	*	*	*
GA		417	87,305	62,510	316	4,786
IN		*	8,878	*	*	*
KY		*	36,257	13,351	*	*
LA		*	14,250	6,127	*	180
MD		3,306	50,557	26,751	*	4,378
MS		251	66,152	35,958	476	665
MO		1,024	78,356	26,710	*	2,050
NJ		*	*	*		:
NY		*	*	*	*	;
NC		*	104,465	78,837	*	16,290
OH		46	17,815	*	*	\$
PA		167	28,545	19,488	194	539
SC		*	14,433	*	45	1,003
TN		*	44,960	17,248	156	\$
TX		*	109,374	*	327	3,261
VA		279	62,354	37,151	24	\$
WA		*	*	*	*	*
Oth Sts		7,730	220,281	166,514	4,449	26,639
US		14,736	1,377,670	722,983	11,241	63,742
Mature Birds						
Light	4	3,270	236,120	15,593	625	86,203
Heavy		740	62,970	2,738	353	9,380
US	4	4,010	299,090	18,331	978	95,589

Chickens Slaughtered: Number Condemned Post-Mortem by Cause, by Type, by State and United States, January 2004

See footnote(s) at end of table.

--continued

	Bruises	Cadaver	Contam- ination	Overscald	Other	Total ¹
	Number of Head	Number of Head	Number of Head	Number of Head	Number of Head	Number of Head
Young Birds						
AL	3,616	19,737	22,291	11,008	107,996	341,520
AR	7,042	27,072	34,472	3,180	52,099	449,622
CA	*	*	2,458	672	7,656	142,005
DE	2,232	15,015	12,662	2,622	28,890	242,340
FL	853	4,056	*	752	11,575	59,693
GA	3,432	38,305	12,659	6,091	87,824	303,645
IN	72	*	366	*	*	\$
KY	205	8,439	2,772	*	4,059	68,611
LA	285	2,034	*	*	*	28,671
MD	*	15,481	*	*	16,302	139,827
MS	2,601	21,088	10,618	279	47,668	185,756
MO	1,200	11,089	8,893	*	34,530	165,681
NJ	*	*	*	*	*	\$
NY	*	*	3,387	*	*	\$
NC	4,367	33,655	22,775	9,049	127,088	397,771
OH	*	990	*	*	*	30,552
PA	1,323	6,614	4,130	236	14,467	75,703
SC	523	4,888	*	*	*	\$
TN	1,068	10,712	4,304	754	12,359	93,699
TX	1,100	7,917	8,311	797	15,073	253,096
VA	1,768	14,225	*	*	19,784	153,986
WA	*	*	*	*	*	*
Oth Sts	7,205	21,863	63,929	12,445	68,339	277,887
US	38,892	263,180	214,027	47,885	655,709	3,410,065
Mature Birds						
Light	6,918	13,599	121,556	575	65,382	549,845
Heavy	1,689	11,031	22,775	784	63,386	175,852
US	8,607	24,630	144,331	1,359	128,768	725,69

Chickens Slaughtered: Number Condemned Post-Mortem by Cause, by Type, by State and United States, January 2004 (continued)

* Included in "Other States" to avoid disclosing individual operations.
¹ The sum of the individual diseases does not add across to the total for "Other States".

State	Number Slaughtered		Live We	eight	Average Live Weight	
	December	January	December	January	December	January
	1,000 Head	1,000 Head	1,000 Pounds	1,000 Pounds	Pounds	Pounds
AR	2,924	3,186	52,403	57,475	17.92	18.04
CA	*	*	*	*	*	*
IA	1,432	*	45,140	*	31.52	*
MN	2,700	2,673	78,605	77,756	29.12	29.09
MO	1,435	1,494	43,051	45,996	30.00	30.80
NC	2,867	2,982	77,867	80,222	27.16	26.90
OH	*	*	*	*	*	*
PA	*	*	*	*	*	*
VA	*	*	*	*	*	*
Oth Sts	9,238	9,611	254,730	287,687	27.57	29.93
US	20,596	19,946	551,796	549,136	26.79	27.53

Young Turkeys (Mature) Slaughtered: Number, Live Weight, and Average Live Weight, by State and United States, January 2004

* Included in "Other States" to avoid disclosing individual operations.

	Total Chilled and Frozen Pounds Certified ¹		Post-Mortem Condemnations				
State			N.Y. Dressed Weight		Percent ²		
	December	January	December	January	December	January	
	1,000 Pounds	1,000 Pounds	1,000 Pounds	1,000 Pounds	Percent	Percent	
AR	43,613	49,098	751	902	1.59	1.74	
CA	*	*	*	*	*	*	
IA	33,672	*	1,052	*	2.59	*	
MN	62,375	61,863	1,340	1,439	1.89	2.06	
MO	33,582	35,971	986	997	2.54	2.41	
NC	61,485	64,002	1,020	904	1.46	1.25	
OH	*	*	*	*	*	*	
PA	*	*	*	*	*	*	
VA	*	*	*	*	*	*	
Oth Sts	201,334	224,553	4,040	5,173	1.76	2.00	
US	436,061	435,487	9,189	9,415	1.85	1.91	

Young Turkeys (Mature) Slaughtered: Pounds Certified and Post-Mortem Condemnations, by State and United States, January 2004

* Included in "Other States" to avoid disclosing individual operations. ¹ Ready-to-cook weights.

² Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected.

	1	by State and Unit	ted States, Decem	ber 2004		
State	Tuber- culosis	Leukosis	Septicemia	Airsac- culitis	Synovitis	Tumors
	Number of Head	Number of Head	Number of Head	Number of Head	Number of Head	Number of Head
Young (Mature)						
AR			9,654	1,062	*	4
CA		*	6,822	275		*
IA			7,168	1,859	*	
MN		*	16,378	*	*	*
MO			13,104	*		
NC		*	3,434	*	*	*
OH		*	*	*	*	*
PA		*	*	607	*	2
VA		*	*	*	*	*
Other States		432	32,248	5,664	4,282	49
US		432	88,808	9,467	4,282	55
Old (Breeders)						
US		2	2,425	590	12	82
	Bruises	Cadaver	Contam- ination	Overscald	Other	Total ¹
	Number of Head	Number of Head	Number of Head	Number of Head	Number of Head	Number of Head
Young (Mature)						
AR	*	1,087	*	*	*	14,692
CA	*	290	275	*	982	9,122
IA	103	365	900	*	634	12,745
MN	*	444	567	*	1,670	21,544
MO	28	500	230	*	1,041	15,700
NC	33	694	385	*	1,241	6,423
OH	*	*	*	*	*	*
PA	*	*	201	18	947	*
VA	*	*	*	*	*	*
Other States	545	2,985	2,783	1,576	5,923	49,265
US	709	6,365	5,341	1,594	12,438	129,491
Old (Breeders)						
US	39	100	90	15	593	3,948

Turkeys Slaughtered: Number Condemned Post-Mortem by Cause, by Type, by State and United States. December 2004

* Included in "Other States" to avoid disclosing individual operations.
¹ The sum of the individual diseases does not add across to the total for "Other States".

		by State and Uni	ited States, Janua	ary 2004		
State	Tuber- culosis	Leukosis	Septicemia	Airsac- culitis	Synovitis	Tumors
	Number of Head	Number of Head	Number of Head	Number of Head	Number of Head	Number of Head
Young (Mature)						
AR		*	12,287	*	20	*
CA		*	4,696	*		*
IA			*	2,000	*	*
MN		*	16,807	*	*	20
MO			*	*		
NC		*	*	*	*	*
OH		*	*	*	*	*
PA		*	*	349	*	
VA		*	*	*		*
Other States		326	52,370	10,410	4,134	68
US		326	86,160	12,759	4,154	88
Old (Breeders)						
US		43	2,920	427	23	232
	Bruises	Cadaver	Contam- ination	Overscald	Other	Total ¹
	Number of Head	Number of Head	Number of Head	Number of Head	Number of Head	Number of Head
Young (Mature)						
AR	*	1,032	*	586	*	18,691
CA	34	*	*	*	*	5,937
IA	*	*	*	*	*	11,731
MN	*	*	436	*	1,453	22,490
MO	*	422	326	*	*	16,570
NC	*	*	440	*	388	6,435
OH	*	*	*	*	*	*
PA	*	*	*	*	903	*
VA	*	*	*	*	*	*
Other States	614	6,052	4,247	1,350	5,745	45,661
US	648	7,506	5,449	1,936	8,489	127,515
Old (Breeders)						
US	26	341	147	4	310	4,473

Turkeys Slaughtered: Number Condemned Post-Mortem by Cause, by Type, by State and United States, January 2004

* Included in "Other States" to avoid disclosing individual operations.
¹ The sum of the individual diseases does not add across to the total for "Other States".

Poultry Slaughter Estimates

Data Sources: Primary data for poultry slaughter estimates are obtained from the Poultry Inspection Form (FSIS 6000-21). This form is completed by inspectors of the Food Safety and Inspection Service (FSIS), USDA for all Federally Inspected (FI) plants. Over 99 percent of the total U.S. slaughter for any species is under FI. The FSIS 6000-21 forms collect number of head slaughtered daily under FI by species and class as well as condemnations and total live and dressed weights. Approximately 350 plants in the U.S. are operated under Federal Inspection.

Revision Policy: Revisions are generally the result of late reports received by FSIS from plants and are usually less than one-half of 1 percent of the preliminary totals. Revisions for the previous month and year-to-date totals are published in each monthly release. Final data are published in the annual summary released in April and reflect any late reports or corrections which occurred after the monthly revision were published.

Procedures and Reliability: Plant inspectors submit forms (FSIS 6000-21) weekly summarizing the plant's activity. When inconsistencies in the data are detected, the reports are returned to the inspectors for correction. Inspectors correct or validate the report and resubmit it. The reports cover weekly activities through Saturday night and reported data are allocated to the appropriate month as it enters the database.

A NASS computer program provides a review of current data with historical data for each plant. An edit provides checks for the detection of errors such as invalid plant information, duplication, and erroneous data. Data are summarized weekly and accumulated to monthly totals for this release.

Data for major slaughter plants with missing reports are adjusted prior to publication to assure that all plants slaughtering a significant portion of a specific class are accounted for each week. Estimates for missing weeks are made only after verifying that the plant was in operation. Adjustments are based on either the previous week's information or a week determined to be similar to the one missing. Late reports replace imputed data as they become available. While there is a varying degree of incompleteness from month to month, it has only a minimal impact on the published totals.

Poultry slaughter estimates are based on a census of operating plants and, therefore, have no sampling error. However, they may be subject to errors such as omissions, duplications, and mistakes in reporting, recording, and processing the data. These errors are minimized through strict quality controls in the edit and summarization process, and a careful review of all reported data for consistency and reasonableness.

State data are published for selected states for young chickens and young turkeys. State data are not published if less than three plants operate for a species in a State, or if one plant has 60 percent or more of the total live weight for that species. Data for all states not published are included in the "Other States" category. Also included in this category are data for published states that are confidential (denoted by an *). Data for all states are included in the U.S. totals. For 2002, young chickens were killed in 34 states, young turkeys in 21 states.

Definitions

Ante-Mortem Condemnations - Birds condemned prior to their entry into the slaughter plant.

Certified Ready-to-Cook - The weight of poultry certified wholesome by inspection after post-mortem condemnation pounds are removed. Ready-to-cook represents poultry meat ready for the marketing channel.

Ducks - Includes all ducks regardless of age and weight.

Fryer-Roaster Turkeys - Young immature birds, usually under 16 weeks of age. Included with young turkeys.

Mature Chickens - Fowl from breeder and market egg flocks and stags and cocks.

New York Dressed Weight - Carcass weight after only feathers and blood are removed. This weight is approximately 90% of live weight.

Old Turkeys (Breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Other Poultry - Includes all other ready-to-cook products which bear the USDA Inspected for Wholesomeness legend.

Post-Mortem Condemnations - Carcasses or parts condemned by the inspector because of disease or mishandling and removed from the slaughter line and destroyed.

Young Chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Young Turkeys (Mature) - Young birds grown to a matured market age, about 5 months.

The next "Poultry Slaughter" report will be released at 8:30 a.m. ET on April 5, 2004.

The United States Department of Agriculture (USDA) prohibits discrimination in all its programs on the basis of race, color, national origin, gender, religion, age, disability, political beliefs, sexual orientation, and marital or family status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 1400 Independence Avenue, SW, Washington, D.C., 20250-9410, or call 202-720-5964 (voice or TDD). USDA is an equal opportunity provider and employer.

ACCESS TO REPORTS!!

For your convenience, there are several ways to obtain NASS reports, data products, and services:

INTERNET ACCESS

All NASS reports are available free of charge on the worldwide Internet. For access, connect to the Internet and go to the NASS Home Page at: **www.usda.gov/nass**/. Select "Today's Reports" or Publications and then Reports Calendar or Publications and then Search, by Title or Subject.

E-MAIL SUBSCRIPTION

All NASS reports are available by subscription free of charge direct to your e-mail address. Starting with the NASS Home Page at **www.usda.gov/nass**/, click on **Publications**, then click on the **Subscribe by E-mail** button which takes you to the page describing e-mail delivery of reports. Finally, click on <u>Go to the Subscription Page</u> and follow the instructions.

PRINTED REPORTS OR DATA PRODUCTS

CALL OUR TOLL-FREE ORDER DESK: 800-999-6779 (U.S. and Canada) Other areas, please call 703-605-6220 FAX: 703-605-6900 (Visa, MasterCard, check, or money order acceptable for payment.)

ASSISTANCE

For assistance with general agricultural statistics or further information about NASS or its products or services, contact the Agricultural Statistics Hotline at 800-727-9540, 7:30 a.m. to 4:00 p.m. ET, or e-mail: nass@nass.usda.gov.